

1617, Permissions set for the '%SystemRoot%\system32\at.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1624, Permissions set for the '%SystemRoot%\system32\attrib.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1651, Permissions set for the '%SystemRoot%\system32\cacls.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1654, Permissions set for the '%SystemRoot%\system32\debug.exe' program, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows XP desktop

1656, Permissions set for the '%SystemRoot%\system32\drwatson.exe' file, Windows 2000, Windows 2003 Server, Windows XP desktop

1657, Permissions set for the '%SystemRoot%\system32\drwtsn32.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows XP desktop

1658, Permissions set for the '%SystemRoot%\system32\edlin.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows XP desktop

1659, Permissions set for the '%SystemRoot%\system32\eventcreate.exe' file, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1660, Permissions set for the '%SystemRoot%\system32\eventtriggers.exe' file, Windows 2003 Server, Windows XP desktop

1666, Permissions set for the '%SystemRoot%\system32\ftp.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows XP desktop

1667, Permissions set for the '%SystemRoot%\system32\net.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1668, Permissions set for the '%SystemRoot%\system32\net1.exe' utility, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1669, Permissions set for the '%SystemRoot%\system32\netsh.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1670, Permissions set for the '%SystemRoot%\system32\rpc.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows XP desktop

1671, Permissions set for the '%SystemRoot%\system32\reg.exe' utility, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1672, Permissions set for the '%SystemRoot%\regedit.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows XP desktop

1674, Permissions set for the '%SystemRoot%\system32\regedt32.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1675, Permissions set for the '%SystemRoot%\system32\regsvr32.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1680, Permissions set for the '%SystemRoot%\system32\rexec.exe' file, Windows 2000, Windows 2003 Server, Windows XP desktop

1681, Permissions set for the '%SystemRoot%\system32\rsh.exe' file, Windows 2000, Windows 2003 Server, Windows XP desktop

1682, Permissions set for the '%SystemRoot%\system32\runas.exe' utility, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1683, Permissions set for the '%SystemRoot%\system32\sc.exe' file, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1684, Permissions set for the '%SystemRoot%\system32\subst.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows Vista, Windows XP desktop

1685, Permissions set for the '%SystemRoot%\system32\telnet.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows XP desktop

1686, Permissions set for the '%SystemRoot%\system32\tftp.exe' file, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Embedded 7, Windows Embedded 8, Windows Embedded 8.1, Windows XP desktop

1687, Permissions set for the '%SystemRoot%\system32\tlntsvr.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows XP desktop

1950, Permissions set for the '%SystemDrive%', Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2001, Permissions set for the '%SystemDrive%\autoexec.bat' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2002, Permissions set for the '%SystemDrive%\boot.ini' file, Windows 2000, Windows 2003 Server, Windows XP desktop

2003, Permissions set for the '%SystemDrive%\config.sys' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2004, Permissions set for the '%SystemDrive%\io.sys' file, Windows 2000

2005, Permissions set for the '%SystemDrive%\msdos.sys' file, Windows 2000

2006, Permissions set for the '%SystemDrive%\ntbootdd.sys' file, Windows 2000

2007, Permissions set for the '%SystemDrive%\ntdetect.com' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

2008, Permissions set for the '%SystemDrive%\ntldr' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

2009, Permissions set for the '%SystemDrive%\Documents and Settings' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2010, Permissions set for the '%SystemDrive%\Documents and Settings\Administrator' folder, Windows 2000, Windows 2003 Server, Windows 7, Windows 8, Windows XP desktop

2011, Permissions set for the '%SystemDrive%\Documents and Settings\All Users' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2012, Permissions set for the '%SystemDrive%\Documents and Settings\All Users\Documents\DrWatson' folder, Windows 2000

2013, Permissions set for the '%SystemDrive%\Documents and Settings\Default User' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2014, Permissions set for the '%SystemDrive%\System Volume Information' folder, Windows 2000

2015, Permissions set for the '%SystemDrive%\Temp' folder, Windows 2000

2016, Permissions set for the '%ProgramFiles%' folder, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2017, Permissions set for the '%SystemDrive%\Program Files\Resource Kit' folder, Windows 2000

2018, Permissions set for the '%SystemRoot%' folder, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2019, Permissions set for the '%SystemRoot%\\$NtServicePackUninstall\$' folders, Windows 2000

2020, Permissions set for the '%SystemRoot%\CSC' folder, Windows 2000, Windows XP desktop

2021, Permissions set for the '%SystemRoot%\Debug' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows 8.1, Windows XP desktop

2022, Permissions set for the '%SystemRoot%\Debug\UserMode' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2107, Permissions set for the 'HKLM\Software' registry hive, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2108, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Installer' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows Server 2012 R2, Windows XP desktop

2109, Permissions set for the 'HKLM\System' registry hive, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2110, Permissions set for the 'HKLM\System\CurrentControlSet\Enum' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2111, Permissions set for the 'HKLM\System\CurrentControlSet\Services\SNMP\Parameters\PermittedManagers' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows Server 2012 R2

2112, Permissions set for the 'HKLM\System\CurrentControlSet\Services\SNMP\Parameters\ValidCommunities' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows Server 2012 R2

2113, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\Ratings' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

2114, Permissions set for the 'HKLM\Software\Microsoft\MSDTC' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2115, Permissions set for the '%SystemRoot%\system32\NTMSData' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2116, Permissions set for the '%SystemRoot%\system32\ias' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

2117, Permissions set for the '%SystemRoot%\system32\GroupPolicy' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows XP desktop

2118, Permissions set for the '%SystemRoot%\system32\DTCLog' folder, Windows 2000

2119, Permissions set for the '%SystemRoot%\system32\dllcache' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows XP desktop

2120, Permissions set for the '%SystemRoot%\config' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2121, Permissions set for the '%SystemRoot%\system32\appmgmt' folder, Windows 2000, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

2122, Permissions set for the '%SystemRoot%\system32\secedit.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

2123, Permissions set for the '%SystemRoot%\system32\Ntbackup.exe' file, Windows 2000, Windows 2003 Server, Windows XP desktop

2124, Permissions set for the '%SystemRoot%\system32' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

2125, Permissions set for the '%SystemRoot%\security' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows 8.1, Windows XP desktop

2126, Permissions set for the '%SystemRoot%\repair' folder, Windows 2000, Windows 2003 Server, Windows XP desktop

2127, Permissions set for the '%SystemRoot%\Registration' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows 8.1, Windows XP desktop

2128, Permissions set for the '%SystemRoot%\Offline Web Pages' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

2129, Permissions set for the '%SystemDrive%\Temp' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

2130, Permissions set for the '%SystemRoot%\Tasks' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2131, Permissions set for the '%SystemRoot%\system32\spool\printers' folder, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2132, Permissions set for the '%SystemRoot%\system32\Setup' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2133, Permissions set for the '%SystemRoot%\system32\reinstallbackups' folder, Windows 2000, Windows 2003 Server

2134, Permissions set for the 'HKU\Default\Software\Microsoft\SystemCertificates\Root\ProtectedRoots' registry key, Windows 2003 Server, Windows XP desktop

2135, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\SeCEdit' registry key, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

2136, Permissions set for the 'HKLM\Software\Classes' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2137, Permissions set for the 'HKLM\Software\Microsoft\NetDDE' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

2138, Permissions set for the 'HKLM\Software\Microsoft\OS/2 Subsystem for NT' registry key, Windows 2000

2139, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\AsrCommands' registry key, Windows 2000

2140, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Perflib' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

2141, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Group Policy' registry key, Windows 2000, Windows 2003 Server, Windows 2012 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows XP desktop

2142, Permissions set for the 'HKLM\System\Clone' registry key, Windows 2000

2143, Permissions set for the 'HKLM\System\ControlSet001' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2144, Permissions set for the 'HKLM\System\CurrentControlSet\Control\SecurePipeServers\Winreg' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows XP desktop

2145, Permissions set for the 'HKLM\System\CurrentControlSet\Control\WMI\Security' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2146, Permissions set for the 'HKLM\System\CurrentControlSet\Hardware Profiles' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2147, Permissions set for the 'HKU\.Default' hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

2148, Permissions set for the 'HKU\.Default\Software\Microsoft\NetDDE' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

2149, Permissions set for the 'HKU\.Default\Software\Microsoft\Protected Storage System Provider' registry key, Windows 2000

2708, Permissions set for the '%windir%\system32\ntp\$\.inf' files, Windows 2000, Windows 2003 Server

3241, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Installer' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

3244, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Policies' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

3536, Permissions set for the 'HKEY_LOCAL_MACHINE' registry key (Oracle Host), Oracle 10g, Oracle 11g, Oracle 9i

3537, Permissions set for the 'HKLM\SOFTWARE\Oracle' registry key, Oracle 10g, Oracle 11g, Oracle 9i

3741, Permissions set for the '%systemroot%\System32\clipsrv.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista

3742, Permissions set for the '%SystemRoot%\System32\cmd.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3743, Permissions set for the '%SystemRoot%\System32\command.com' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3744, Permissions set for the '%SystemRoot%\System32\cscript.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3745, Permissions set for the '%SystemRoot%\System32\finger.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3746, Permissions set for the '%SystemRoot%\System32\ipconfig.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3747, Permissions set for the '%SystemRoot%\System32\nbtstat.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3748, Permissions set for the '%SystemRoot%\System32\netstat.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3749, Permissions set for the '%SystemRoot%\System32\nslookup.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3750, Permissions set for the '%SystemRoot%\System32\ping.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3751, Permissions set for the '%SystemRoot%\System32\posix.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista

3752, Permissions set for the '%SystemRoot%\System32\route.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3753, Permissions set for the '%SystemRoot%\System32\runonce.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3754, Permissions set for the '%SystemRoot%\System32\tracert.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

3755, Permissions set for the '%SystemRoot%\System32\wscript.exe' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

3756, Permissions set for the '%SystemRoot%\system' directory, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

3757, Permissions set for the '%SystemRoot%\system32\drivers' directory, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

3759, Permissions set for the '%SystemRoot%\System32\spool' directory, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows XP desktop

3764, Permissions set for the 'HKLM\SYSTEM\CurrentControlSet\Services\Eventlog\Security' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8

3765, Permissions set for the 'HKEY_LOCAL_MACHINE (HKLM)' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1

3766, Permissions set for the 'HKEY_CLASSES_ROOT (HKCR)' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8

3767, Permissions set for the 'HKEY_CURRENT_USER (HKCU)' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows 8.1

3768, Permissions set for the 'HKEY_USERS (HKU)' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8

3770, Permissions set for the '%SystemRoot%\syswow64' directory, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8

3771, Permissions set for the '%SystemRoot%\syswow64\drivers' directory, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8

3773, Permissions set for the '%ProgramFiles%\Windows NT\hypertrm.exe' file, Windows 2000, Windows 2003 Server

3774, Permissions set for the '%SystemRoot%\System32\edit.com' file, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista

3775, Permissions set for the 'DNS Server event log' file, Windows 2000, Windows 2003 Server, Windows 2008 Server

3776, Permissions set for the 'Windows Security event log' file, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows XP desktop

4052, Permissions set for the '%SystemRoot%\Poedit.exe' file, Windows 2000, Windows XP desktop

4053, Permissions set for the '%SystemRoot%\System32\htimage.exe' file, Windows 2000

4686, Status of the SQL Server install directory permissions, Microsoft SQL Server 2000, Microsoft SQL Server 2005, Microsoft SQL Server 2008, Microsoft SQL Server 2012, Microsoft SQL Server 2014, Microsoft SQL Server 2016, Microsoft SQL Server 2017

4751, Permissions set for the 'HKEY_CURRENT_CONFIG (HKCC)' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows Vista, Windows XP desktop

4752, Permissions set for the 'HKLM\Security' registry hive, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows Server 2012 R2, Windows Vista, Windows XP desktop

4753, Permissions set for the 'HKLM\SAM' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4754, Permissions set for the 'HKLM\Hardware' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP desktop

4757, Permissions set for the 'HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4758, Permissions set for the 'HKLM\SYSTEM\CurrentControlSet\Control\Session Manager\Executive' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4759, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Svchost' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4762, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\ProfileList' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4763, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Console' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4764, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Classes' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

4765, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Winlogon' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows Vista, Windows XP desktop

4766, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Windows' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4767, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Time Zones' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4768, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\IniFileMapping' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4769, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Image File Execution Options' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4770, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\FontMapper' registry hive, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4771, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Font Drivers' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4773, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4774, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\DiskQuota' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

4775, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\RunOnce' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4776, Permissions set for the 'HKLM\Software\Microsoft\SystemCertificates' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4777, Permissions set for the 'HKLM\Software\Microsoft\Secure' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

4779, Permissions set for the 'HKLM\Software\Microsoft\Rpc' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4785, Permissions set for the 'HKLM\Software\Microsoft\Ole' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4786, Permissions set for the 'HKLM\Software\Microsoft\Non-Driver Signing' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4787, Permissions set for the 'HKLM\Software\Microsoft\EnterpriseCertificates' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4791, Permissions set for the 'HKLM\Software\Microsoft\Driver Signing' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4792, Permissions set for the 'HKLM\Software\Microsoft\Cryptography' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4793, Permissions set for the 'HKLM\Software\Microsoft\Command Processor' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4795, Permissions set for the 'HKLM\Software\Classes\.hlp' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4798, Permissions set for the 'HKLM\Software\Classes\helpfile' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

4799, Permissions set for the 'Application event log' file, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows Vista, Windows XP desktop

4800, Permissions set for the 'System event log' file, Windows 10, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows 7, Windows 8, Windows 8.1, Windows Server 2012 R2, Windows Vista, Windows XP desktop

4808, Permissions set for the 'HKLM\System\CurrentControlSet\Services' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4810, Permissions set for the 'HKLM\System\CurrentControlSet\Services\LanmanServer\Shares' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4811, Permissions set for the 'HKLM\Software\Windows 3.1 Migration Status' registry key, Windows 2000, Windows 2003 Server, Windows XP desktop

4812, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\WOW' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4813, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Ports' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4814, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\MCI Extensions' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4815, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\MCI' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4816, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers.desc' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4821, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4822, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Type 1 Installer\Type 1 Fonts' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows Vista, Windows XP desktop

4823, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\GRE_Initialize' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4824, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\FontSubstitutes' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4835, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\Fonts' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4836, Permissions set for the 'HKLM\Software\Microsoft\Windows NT\CurrentVersion\FontDPI' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4837, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Uninstall' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4838, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Run' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4839, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\Explorer' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4840, Permissions set for the 'HKLM\Software\Microsoft\Windows\CurrentVersion\App Paths' registry key, Windows 2000, Windows 2003 Server, Windows 2008 Server, Windows 7, Windows 8, Windows Vista, Windows XP desktop

4937, Permissions set for the 'unattended installation' file (setup.iss), Microsoft SQL Server 2000

7725, Status of locking of Encryption Providers, MS IIS 10.x, MS IIS 7.x, MS IIS 8.x

8485, Ownership and permissions of iisadmpwd folder, MS IIS 6.0, MS IIS 7.x

8746, Status of the 'sybsyesp' Extended Stored procedures (ESP) directory, SAP Adaptive Server Enterprise 16, Sybase ASE 15

8748, Status of the permissions on the Sybase default installation directory, SAP Adaptive Server Enterprise 16, Sybase ASE 15

9132, Permissions set on configuration files, MariaDB 10.x, MySQL 5.x

11089, Status of permission set for "Active Setup\Installed Components" registry key, Windows 2008 Server, Windows 2012 Server, Windows 7, Windows 8.1, Windows Server 2012R2

11266, Status of File Access Permissions for Eventvwr.exe file., Windows 2012 Server, Windows 2016 Server, Windows 2019 Server, Windows Server 2012 R2

11350, Status of permissions set on the 'SYSVOL' directory., Windows 2008 Server, Windows 2012 Server, Windows Server 2012 R2

11957, Permission set for 'HKLM\System\CurrentControlSet\Services\SNMP\Parameters\TrapConfiguration' registry key, Windows 2016 Server, Windows 2019 Server

12261, Status of the permissions set for file '%systemdrive%\Windows\System32\inet_srv\config\applicationHost.config' (IIS), MS IIS 10.x, MS IIS 7.x, MS IIS 8.x

12263, Status of the permissions set for file '%systemdrive%\Windows\System32\inet_srv\metabase.xml', MS IIS 10.x, MS IIS 7.x, MS IIS 8.x

12268, Status of 'Permission Set' for Configuration directory of IIS (%windir%\system32\inet_srv\config), MS IIS 10.x, MS IIS 7.x, MS IIS 8.x

13342, Permission set for '%ProgramFiles(x86)%' folder on Windows 64-bit systems, Windows 10, Windows 2012 Server, Windows Server 2012 R2

13792, Status of the ownership and permissions set of interfaces file, SAP Adaptive Server Enterprise 16, Sybase ASE 15

13793, Status of the ownership and permissions set of runserver file, SAP Adaptive Server Enterprise 16, Sybase ASE 15

13794, Status of the ownership and permissions set of error log file, SAP Adaptive Server Enterprise 16, Sybase ASE 15

13795, Status of the ownership and permissions set of sybase executables in connectivity component directory (OCS), SAP Adaptive Server Enterprise 16, Sybase ASE 15

13796, Status of the ownership and permissions set of sybase executables in ASE component directory (ASE), SAP Adaptive Server Enterprise 16, Sybase ASE 15

13797, Status of the ownership and permissions set of sybase connectivity component directory (OCS), SAP Adaptive Server Enterprise 16, Sybase ASE 15

13798, Status of the ownership and permissions set of sybase ASE component directory (ASE), SAP Adaptive Server Enterprise 16, Sybase ASE 15

13799, Status of the ownership and permissions set of dscp utility file, SAP Adaptive Server Enterprise 16, Sybase ASE 15

13827, Status of the ownership and permissions set of sybase configuration file, SAP Adaptive Server Enterprise 16, Sybase ASE 15

13828, Status of the ownership and permissions set of sybase libtcl configuration files, SAP Adaptive Server Enterprise 16, Sybase ASE 15

13829, Status of the ownership and permissions set of sybase objectid.dat file, SAP Adaptive Server Enterprise 16, Sybase ASE 15

15708, Permissions set of the 'inetsrv\backup' directory, Windows 2019 Server